

B¹ 1. (amended) An anti-human cytomegalovirus RNase resistant RNA polynucleotide ligand composition of from 15 to 100 nucleotides in length, and which lacks complementarity to said human cytomegalovirus genetic sequence; binds to said human cytomegalovirus; and inhibits said human cytomegalovirus infection.

B² 6. (amended) The polynucleotide ligand of Claim 5, wherein said RNA comprises 2-amino pyrimidine nucleotides.

B³ 8. (amended) An anti-human cytomegalovirus polynucleotide ligand, wherein said polynucleotide comprises the sequence set forth in any of SEQ ID NO: 12 to SEQ ID NO:16.

10. (reiterated) The polynucleotide ligand of Claim 8, wherein said ligand comprises the sequence set forth in SEQ ID NO:12.

12. (reiterated) The polynucleotide ligand composition of Claim 1, further comprising a pharmaceutically acceptable carrier.

13. (amended) The polynucleotide ligand composition of Claim 12, wherein said polynucleotide ligand composition comprises two or more distinct sequences.

B⁴ 14. (amended) The polynucleotide ligand composition of Claim 13, wherein said polynucleotide ligand composition comprising distinct sequences bind to different epitopes of the virus.

15. (amended) A method of treating [viral] human cytomegalovirus infection, the method comprising:

administering a dose of an anti-human cytomegalovirus RNase resistant RNA polynucleotide ligand composition at a dose sufficient to decrease said cytomegalovirus infection, wherein said polynucleotide ligand is from 15 to 100 nucleotides in length, and which lacks complementarity to said human cytomegalovirus genetic sequence; binds to said human cytomegalovirus; and inhibits said human cytomegalovirus infection.

16. (reiterated) The method of Claim 15, wherein said antiviral polynucleotide blocks viral entry into a cell.